

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	203	(throughput bandwidth) with ((utility utilization usage) near3 resource)	USPAT	OR	OFF	2005/10/31 03:57
L2	67	1 and partition\$3	USPAT	OR	ON	2005/10/31 03:57
L3	1014	(throughput bandwidth) with ((utility utilization usage) near3 resource)	US-PGPUB; USPAT	OR	ON	2005/10/31 03:58
L5	122	3 and partition\$3	USPAT	OR	ON	2005/10/31 03:58
L6	283	(throughput) with ((utility utilization usage) near3 resource)	US-PGPUB; USPAT	OR	ON	2005/10/31 03:58
L7	52	6 and partition\$3	USPAT	OR	ON	2005/10/31 04:07
L8	1	("6314501").PN.	USPAT	OR	OFF	2005/10/31 04:55
L9	1	(US-6789054-\$).did.	USPAT	OR	OFF	2005/10/31 04:37
L10	1	9 and network	USPAT	OR	ON	2005/10/31 04:39
L11	1	9 and partition\$3	USPAT	OR	ON	2005/10/31 04:41
L12	1	9 and throughput	USPAT	OR	ON	2005/10/31 04:42
L13	1	9 and parameter	USPAT	OR	ON	2005/10/31 04:43
L14	1	9 and ((resource utility utilization) with parameter)	USPAT	OR	ON	2005/10/31 04:45
L15	1	9 and real	USPAT	OR	ON	2005/10/31 04:47
L16	1	9 and graph	USPAT	OR	ON	2005/10/31 04:47
L17	1	("20020129082").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/31 04:48
L18	1	17 and (curve fit\$3)	US-PGPUB; USPAT	OR	ON	2005/10/31 04:48
L19	1	8 and (user agent)	USPAT	OR	ON	2005/10/31 04:56
L20	1	8 and calculat\$4	USPAT	OR	ON	2005/10/31 04:57
L21	1	8 and network	USPAT	OR	ON	2005/10/31 04:57
L22	5	(US-20020129127-\$).did. or (US-6301616-\$ or US-3702462-\$ or US-6789054-\$ or US-6314501-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/10/31 05:25
L23	2	22 and ((utilization utility usage) with (cpu processor))	USPAT	OR	OFF	2005/10/31 05:36
L24	1	22 and workload	USPAT	OR	OFF	2005/10/31 05:38
L25	3	22 and (shar\$3 with memory)	USPAT	OR	OFF	2005/10/31 05:46
L26	0	22 and ((adjust\$3 modif\$4) with (workflow resource))	USPAT	OR	OFF	2005/10/31 05:46
L27	3	22 and (adjust\$3 modif\$4)	USPAT	OR	OFF	2005/10/31 05:52
L28	3	22 and (packet count\$3)	USPAT	OR	ON	2005/10/31 05:55
L29	2	22 and i/o	USPAT	OR	ON	2005/10/31 05:55

L30	2	22 and (i/o same (processor cpu) same memory)	USPAT	OR	ON	2005/10/31 05:58
L31	2	22 and (throughput with (resource utilization))	USPAT	OR	ON	2005/10/31 06:16
L32	29	((curve near3 fit\$4) and (throughput with utilization))	USPAT	OR	ON	2005/10/31 06:16
L33	54	((curve near3 fit\$4) and (throughput with utilization))	US-PGPUB; USPAT	OR	ON	2005/10/31 06:16
L34	25	@ad<="20010308" and 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 06:17
S1	3	baskey.inv. and inter-partition.ti.	US-PGPUB; USPAT	OR	OFF	2005/10/28 15:14
S2	354	inter\$1operability with operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:49
S3	23	(throughput and resource) with partition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:51
S4	10	@ad<="20010308" and ((throughput and resource) with partition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 06:17
S5	4	(inter\$1operability with operating) and (@ad<="20010308" and ((throughput and resource) with partition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:52
S6	6	((@ad<="20010308" and ((throughput and resource) with partition)) not baskey.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:59
S7	5	((@ad<="20010308" and ((throughput and resource) with partition)) not baskey.inv.) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:59
S8	25	(throughput and util\$) with partition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:57

S9	4	(inter\$1operability with operating) and ((throughput and util\$) with partition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:57
S10	15	@ad<="20010308" and ((throughput and util\$) with partition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:05
S11	1	((@ad<="20010308" and ((throughput and resource) with partition)) not baskey.inv.) and (((@ad<="20010308" and ((throughput and resource) with partition)) not baskey.inv.) not international.as.) and (@ad<="20010308" and ((throughput and util\$) with partition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:57
S12	4	((@ad<="20010308" and ((throughput and resource) with partition)) not baskey.inv.) not international.as. not ibm.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:58
S13	11	(@ad<="20010308" and ((throughput and util\$) with partition)) not baskey.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:59
S14	8	((@ad<="20010308" and ((throughput and util\$) with partition)) not baskey.inv.) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 21:03
S15	0	(inter\$1operability with operating) and (((@ad<="20010308" and ((throughput and util\$) with partition)) not baskey.inv.) not international.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 20:59
S16	3	(calculat\$3 with resource with allocat\$) same ((util\$ throughput) and partition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 09:01
S17	2	@ad<="20010308" and ((calculat\$3 with resource with allocat\$) same ((util\$ throughput) and partition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 21:10

S18	3309628	throughput divid\$3 util\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 21:21
S19	103592	(throughput divid\$3 util\$) and partition and @ad<="20010308"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 21:15
S20	7	((determin\$3 with resource with allocat\$) same ((util\$ throughput) and partition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 08:47
S21	7	(throughput divid\$3 util\$) and ((determin\$3 with resource with allocat\$) same ((util\$ throughput) and partition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 21:20
S22	1	throughput adj3 divid\$3 adj3 util\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 21:21
S23	7	throughput adj3 over adj3 util\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/26 21:21
S24	20311913	@ad<="20010308"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 08:19
S25	409	throughput and utilization and (allocat\$ near3 resource) and partition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 08:20
S26	289	@ad<="20010308" and (throughput and utilization and (allocat\$ near3 resource) and partition )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 08:20
S27	25	baskey.inv.	US-PGPUB; USPAT	OR	OFF	2004/06/27 08:20
S28	285	((@ad<="20010308" and (throughput and utilization and (allocat\$ near3 resource) and partition )) not baskey.inv.	US-PGPUB; USPAT	OR	OFF	2004/06/27 08:21

S29	16	throughput with utilization with divid\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 08:21
S30	15	(throughput with utilization with divid\$3) not baskey.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 08:21
S31	14	@ad<="20010308" and ((throughput with utilization with divid\$3) not baskey.inv. )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 08:21
S63	1	(US-6301616-\$).did.	USPAT	OR	OFF	2005/05/15 18:20
S64	0	S63 and (real\$1time dynamic\$5)	USPAT	OR	ON	2005/05/15 18:21
S65	0	S63 and (real\$1time dynamic\$5 live active)	USPAT	OR	ON	2005/05/15 18:21
S66	2	(US-20020129127-\$).did. or (US-6301616-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/05/15 18:21
S67	1	S66 and (real\$1time dynamic\$5 live active)	US-PGPUB; USPAT	OR	ON	2005/05/15 18:22
S68	1	S66 and performance	US-PGPUB; USPAT	OR	ON	2005/05/15 18:22
S69	0	("52415935349755586260576850357718365104966542926").PN.	USPAT	OR	OFF	2005/10/28 15:15
S70	1	("5241593").PN.	USPAT	OR	OFF	2005/10/28 15:15
S71	1	("0534975").PN.	USPAT	OR	OFF	2005/10/28 15:15
S72	1	("5586260").PN.	USPAT	OR	OFF	2005/10/28 15:15
S73	1	("5768503").PN.	USPAT	OR	OFF	2005/10/28 15:15
S74	1	("0577183").PN.	USPAT	OR	OFF	2005/10/28 15:15
S75	1	("6510496").PN.	USPAT	OR	OFF	2005/10/28 15:16
S76	1	("6542926").PN.	USPAT	OR	OFF	2005/10/28 15:16
S77	7	S70 S71 S72 S73 S74 S75 S76	USPAT	OR	OFF	2005/10/29 14:53
S78	1	("20020129082").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/28 16:02
S79	1	S77 and throughput	USPAT	OR	OFF	2005/10/28 16:03
S80	0	S77 and (real\$1time (real adj time))	USPAT	OR	OFF	2005/10/28 16:04
S81	36	(real\$1time (real adj time)) same (throughput with (utility utilization usage))	USPAT	OR	OFF	2005/10/28 16:05
S82	87	(real\$1time (real adj time)) same (throughput with (utility utilization usage))	US-PGPUB; USPAT	OR	ON	2005/10/28 16:07

S83	20402109	@ad<="20010308"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:05
S84	30	S82 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:07
S85	26	(real\$1time (real adj time)) with (throughput with (utility utilization usage))	US-PGPUB; USPAT	OR	ON	2005/10/28 16:07
S86	10	S85 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:07
S87	1	(US-20020129127-\$).did.	US-PGPUB	OR	OFF	2005/10/28 17:21
S88	0	S87 and (throughput bandwidth)	USPAT	OR	ON	2005/10/28 17:23
S89	0	S87 and (throughput bandwidth)	US-PGPUB; USPAT	OR	ON	2005/10/28 17:25
S90	1	(US-6301616-\$).did.	USPAT	OR	OFF	2005/10/28 17:24
S91	0	S90 and throughput	USPAT	OR	OFF	2005/10/28 17:25
S92	0	S90 and transfer	USPAT	OR	OFF	2005/10/28 17:25
S93	0	S87 and (throughput bandwidth transfer)	US-PGPUB; USPAT	OR	ON	2005/10/28 17:25
S94	1	("5241593").PN.	USPAT	OR	OFF	2005/10/29 14:53
S95	1	("0534975").PN.	USPAT	OR	OFF	2005/10/29 14:53
S96	1	("5586260").PN.	USPAT	OR	OFF	2005/10/29 14:53
S97	1	("5768503").PN.	USPAT	OR	OFF	2005/10/29 14:53
S98	1	("0577183").PN.	USPAT	OR	OFF	2005/10/29 14:53
S99	1	("6510496").PN.	USPAT	OR	OFF	2005/10/29 14:53
S10 0	1	("6542926").PN.	USPAT	OR	OFF	2005/10/29 14:53
S10 1	7	S94 S95 S96 S97 S98 S99 S100	USPAT	OR	OFF	2005/10/29 14:53
S10 2	2	S101 and (throughput bandwidth)	USPAT	OR	OFF	2005/10/31 03:54